

HTML5/CSS3

.....	1
.....	3
.....	6
.....	8
.....	11
.....	14
.....	17
.....	19
.....	

H5

HBuilder

H5

HBuilder

H5

A

B

C

D

H5
H5


1. H5
2. HTML5 HTML5

HBUILDER

1. HTML5

```
<style type="text/css">
header, nav, article, footer{
    border:solid 1px #666;
    padding:10px;
    margin:6px;
}
header { width:500px }
nav {
    float:left;
    width:60px;
    height:100px
}
article {
    float:left;
    width:406px;
    height:100px
}
```

```
footer {  
    clear:both;  
    width:500px  
}  
</style>
```



2.


-
- [Home](#)
 - [Work](#)
 - [About](#)
 - [Contact](#)

I Make Beautiful Websites

My Recent  Work

My Work

Who is this Guy?



Nerdy Skills

Get in touch

Where to find  me?

3.

4.

A

B

C

D

H5

canvas

Canvas

HBUILDER

1.

canvas



2.

canvas

```
<canvas id="myCanvas" style="border:1px solid;" width="300" height="150"></canvas>

<script type="text/javascript">

var c=document.getElementById("myCanvas");

var context=c.getContext("2d");


context.fillStyle="#FF00FF";

context.fillRect(0,0,200,100);

</script>
```

3.

4.



HBuilder

1. SVG

```
<embed src="hi.svg" type="image/svg+xml" />
```

2.

```
<svg width="140" height="170"  xmlns="http://www.w3.org/2000/svg"
  xmlns:xlink="http://www.w3.org/1999/xlink">
  <title>      </title>
  <desc>       </desc>
  <circle cx="70" cy="95" r="50" style="stroke: black; fill: none;" />
  <circle cx="55" cy="80" r="5" stroke="black" fill="#339933"/>
  <circle cx="85" cy="80" r="5" stroke="black" fill="#339933"/>
  <g id="whiskers">
    <line x1="75" y1="95" x2="135" y2="85" style="stroke: black;" />
```

```

<line x1="75" y1="95" x2="135" y2="105" style="stroke: black;"/>
</g>
<use xlink:href="#whiskers" transform="scale(-1 1) translate(-140 0)"/>
<!--      -->
<polyline points="108 62, 90 10, 70 45, 50, 10, 32, 62"
           style="stroke: black; fill: none; />
<!--      -->
<polyline points="35 110, 45 120, 95 120, 105, 110"
           style="stroke: black; fill: none; />
<!--      -->
<path d="M 75 90 L 65 90 A 5 10 0 0 0 75 90"
      style="stroke: black; fill: #ffcccc; />
<text x="40" y="170" style="font-family: sans-serif; font-size: 14pt;
      stroke: none; fill: black; ">

```



</text>

A

B

C

D

Web Storage

- 1.
2. storage

HBuilder

```
1.          Web Storage

    script>

        var storage = window.localStorage;

        for (var i=0, len = storage.length; i < len; i++){

            var key = storage.key(i);

            var value = storage.getItem(key);

            console.log(key + "=" + value);

        }

    </script>

2.          Web

<script type="text/javascript">

function saveStorage(id){

    var data = document.getElementById(id).value;

    var time = new Date().getTime();

    localStorage.setItem(time,data);

    alert("");

    loadStorage('msg');

}

function loadStorage(id){

    var result = '<table border="1">';

    for(var i = 0;i < localStorage.length;i++)


```

```

{
    var key = localStorage.key(i);

    var value = localStorage.getItem(key);

    var date = new Date();

    date.setTime(key);

    var datestr = date.toGMTString();

    result += '<tr><td>' + value + '</td><td>' + datestr + '</td></tr>';

}

result += '</table>';

var target = document.getElementById(id);

target.innerHTML = result;

}

function clearStorage(){

localStorage.clear();

alert("");

loadStorage('msg');

}

</script>

</head>

<body>

<h1>Web </h1>

<textarea id="memo" cols="60" rows="10"></textarea>

<br>

<input type="button" value=" " onClick="saveStorage('memo');">

<input type="button" value=" " onClick="clearStorage('msg');">

<p id="msg"></p>

```

A

B

C

D

CSS3

1

2

3

HBuilder



A

B

C

D

CSS

CSS

:

1

2

HBuilder



A

B

C

D

?

HTML

CSS

3D

HBuilder

A B C D

1 3D

1.

2.

HBuilder

1.

2.

a)

b)

c)

d)

e)

f)